

# Notice of Allowability

Application No.

09/914,351

Examiner

Amanda H Merlino

Applicant(s)

TANUMA ET AL.

Art Unit

2877

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 8/16/04.
2. ☒ The allowed claim(s) is/are 1-10 and 14-16.
3. ☒ The drawings filed on 16 August 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
GREGORY J. TOATLEY JR.  
PRIMARY EXAMINER 5702877

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Manabu Kanesaka on 11/15/04.

The application has been amended as follows:

On line 23 of claim 10, "using triangulation of light" has been added after "receiving plane".

### ***Reasons for Allowance***

Claims 1-10 and 14-16 allowed.

Claims 1-6, 10 and 14-15 are generic and allowable. Accordingly, the restriction requirement as to the encompassed species is hereby withdrawn and claims 7-9 and 11-13, directed to the species of A and C no longer withdrawn from consideration since all of the claims to this species depend from or otherwise include each of the limitations of an allowed generic claim.

In view of the above noted withdrawal of the restriction requirement as to the linked species, applicant(s) are advised that if any claim(s) depending from or including all the limitations of the allowable generic linking claim(s) be presented in a continuation or divisional application, such claims may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application. Once a restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re Ziegler*, 44 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

The following is an examiner's statement of reasons for allowance:

As to claims 1-10 and 14-15 the prior of record, taken alone or in combination, fails to disclose or render obvious an apparatus for measuring displacement comprising a lens array composed of plural condenser lenses having a uniform image formation characteristic around an optical axis and arranged in a scanning direction of the radiated light for converging the measuring beams reflected at the irradiation point, an imaging lens having a uniform image formation characteristic around an optical axis thereof for converging the measuring beams passing through the lens array to form the image formation point on the light receiving plane so that an amount of the displacement on the surface of the measuring object is obtained using triangulation of light, in combination with the rest of the limitations of claims 1 and 10.

As to claims 16, the prior of record, taken alone or in combination, fails to disclose or render obvious an apparatus for measuring displacement comprising a lens array composed of plural condenser lenses and arranged in a line for converging the light reflected from the surface of the measuring object at a second angle relative to the surface different from the first angle, an imaging lens for converging the light from the lens array unto a light receiving element so that an amount of displacement is measured using triangulation of light.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amanda H Merlino whose telephone number is 571-272-2421. The examiner can normally be reached on Monday and Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J Toatley, Jr. can be reached on 571-272-2800 ext 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Amanda H Merlino *ahm*  
Patent Examiner  
Art Unit 2877  
November 15, 2004

  
Gregory J. Toatley, Jr.  
Supervisory Patent Examiner